NEWEST, MOST CONVENIENT WAY TO PRACTICE IN MANHATTAN ... AND

pay only for the time and services you use

NOW

A distinguished building at a prestige address, beautifully furnished and fully equipped for the practice of medicine. It's the new 6-story air-conditioned Lexington Professional Center, in a prime location, easily reached by bus, subway, or car.

SUPERB FACILITIES

Everything you expect of a well-equipped medical center, from laboratory to x-ray to an ethical pharmacy. Plus all the services you might require: receptionists, a dependable, resourceful answering service, appointment scheduling, and much, much more. Private nursing and secreterial services are also available.

INTERESTING EXTRA

A large, comfortable club room for conferences, paper work, exchange of ideas, or just relaxing . . . yours at all times without charge.

THE COST TO YOU IS PHENOMENALLY LOW

You pay only for the hours and services you require, plus a nominal monthly charge. And remember . . . no capital investment, no leases to sign, no office management problems.

IF YOU'RE NOT USING YOUR OFFICE FULL-TIME

If you want to see some patients in Manhattan, if you're studying for a specialty or have a job and see patients in your free time... the Lexington Professional Center is the most convenient and most sensible way to have a modern office in a prime location.

WHY NOT WRITE OR CALL NOW?

Just phone Mrs. Ruth Freund, Executive Director, at <u>UN 1-9000</u> or write. We'll be glad to have you visit us at your convenience or we'll come to your office.



relieves pain and relaxes muscle

Following traumatic injury, patient comfort can be increased and recovery time shortened by the simultaneous treatment of both pain and muscle spasm with 'Soma' Compound.

a Compound

200 mg., acetophenetidin 160 mg., caffeine 32 mg.

Also available with ½ gr. codeine as SOMA® COMPOUND WITH CODEINE: carisoprodol 200 mg., acetophenetidin 160 mg., caffeine 32 mg., codeine phosphate 16 mg. (Warning: may be habit forming).

WALLACE LABORATORIES Cranbury, N. J.

Side effects: Although there tolerance, withdrawal sympton cation, 'Soma' Compound and Codeine, like other central ner should be used with caution in als. While codeine addiction is broken, the same precautions any other opium alkaloid. Nause and miosis are possible codeine toms of hypersensitivity occur,

TRAUMA!

Select Account of the selection of the s

: None reported.

t information available in the product physicians upon request.

sage is 1 or 2 tablets 4 times daily.

Compound is available in orange, ottles of 50. 'Soma' Compound with order form required) is available in ped tablets; bottles of 50.

CSO-1060

FORMULATED TO RELIEVE THE HEADAGHE and NAUSEA OF MIGRANE

'Migral'

Each sugar-coated 'MIGRAL' tablet contains:

Ergotamine Tartrate	1 mg.
'Marezine'® brand Cyclizine Hydrochloride	25 mg.
Caffeine	50 mg.
In bottles of 20 and 100 tablets.	

Relieves migraine and other vascular headaches

and relieves nausea and vomiting associated with migraine or caused by administration of ergotamine.

Contraindications: Peripheral vascular disease, severe arteriosclerosis, coronary heart disease, hypertension, impaired liver or kidney function and during pregnancy.

Precaution: It is recommended that not more than 6 tablets be taken during a single attack, nor more than 10 tablets per week.

Complete literature available on request from Professional Services Dept. PML.



BURROUGHS WELLCOME & CO. (U.S.A.) INC., Tuckahoe, New York

The Bulletin of The New York Academy of Medicine, Vol. 40, No. 6, June, 1964, Published monthly by The New York Academy of Medicine, 2 East 103 Street, New York 29, N. Y. Entered as second-class matter February 3, 1928, at the Post Office at New York, N. Y., under the act of August 24, 1912, Postage paid at New York, N. Y. Annual subscription United States and Canada \$8.00. All other countries \$9,00. Single copies \$1.00.

\$104.50



When you decide your patients' dietary fat should be modified, remember...

Fleischmann's is Lowest in Saturated Fat of the nation's leading margarines

Fleischmann's is made from 100% corn oil. Over half of this remains in liquid form for high linoleic content...the balance is partially hydrogenated for flavor and spreadability. Consequently, Fleischmann's is a "special" margarine, lowest in saturated fat of the nation's leading margarines. A "special" margarine is one of the most important sources of polyunsaturates in the average diet. Only Fleischmann's offers all of these extra benefits:


(1) Exceptionally high P/S ratio ... Fleischmann's Margarine has a 1.7 to 1 ratio (27.5% cis, cis linoleic acid). Using Fleischmann's instead of butter or regular margarines increases intake of polyunsaturates while lowering intake of saturated fat.


(2) Made from 100% corn oil...
The only oil used in making Fleischmann's is 100% corn oil. Some so-called corn oil margarines are mixtures of cottonseed or soybean oil with corn oil.

- (3) Light delicate flavor...Delicious taste has made Fleischmann's America's largest selling "special" margarine.
- (4) Lightly Salted and Unsalted ... Fleischmann's comes both ways. What's more, Fleischmann's Unsalted Margarine is dietetically sodium-free. It's located in the frozen food section.
 (5) National availability... Unlike most brands, both Fleischmann's can be found in virtually every food store in America.









Posed by professional models.

"In other words, this medication, Trancopal, acts both as a tranquilizer and as a muscle relaxant. As a tranquilizer, it exerts a calming effect, easing emotional tension and anxiety. As a muscle relaxant, Trancopal relaxes the muscle spasm which is so frequently a part of emotional tension. Another important fact about Trancopal is that it doesn't change one's normal mood — almost never causes euphoria, any sort of intoxicating sensation, or depression."

Trancopal "is effective in the symptomatic treatment of anxiety."* Trancopal has tranquilizing properties similar to those of other mild tranquilizers.*

Indications: Anxiety and tension states, ulcer syndrome, premenstrual tension, dysmenorrhea, alcoholism, skeletal muscle spasm, low back pain, rheumatoid arthritis, osteoarthritis, disc syndrome, torticollis, bursitis, neurologic disorders.

Dosage and Administration: Adults, 1 Caplet® (200 mg.) three or four times daily; in some patients 100 mg. three or four times daily suffices. Children (5 to 12 years), from 50 to 100 mg. three or four times daily.

Precautions: Side effects such as occasional drowsiness, dizziness, flushing, nausea, depression, weakness and drug rash have been observed in less than 3 per cent of patients. If severe, medication should be discontinued. In most patients, however, side effects are minor and do not necessitate interruption of treatment. There are no known contraindications.

Available: 200 mg. Caplets (green colored, scored), 100 mg. Caplets (peach colored, scored), each in bottles of 100.

*A.M.A. Council on Drugs: J.A.M.A. 183:469 (Feb. 9) 1963.



TRANCOPAL® for a relaxed mind chlormezanone in a relaxed body


Include MILK in your LOW-SALT DIETS

It's no longer necessary to deny patients fresh, fluid palatable Milk in low-salt diets. Walker-Gordon fresh Lo-Sodium Milk (Certified Milk with 90% of Sodium removed) contains less than 50 mg. Sodium per quart. Guaranteed free of antibiotic residue. Paper half-pints for hospitals, quart bottles for home delivery. Write or phone for literature, low-sodium diet sheets, and professional sample.

WALKER-GORDON LO-SODIUM MILK

Walker-Gordon Certified Milk Farm, Plainsboro, N. J. ★ (609) 799-1234 New York: (212) WAlker 5-7300 ★ Phila.: (215) PE 5-3465

Also Certified Raw, Pasteurized, Homogenized-Vit. D, Skimmed Milks and Acidophilus; available through leading Milk Dealers or call Walker-Gordon



 \star

Over 21/2 million prescriptions already filled at Macy's

All 8 Macy Prescription Centres satisfy your patients with efficient professional service

- You may phone in your patients' prescriptions (except for narcotics)
- Your patients may charge their prescriptions on their Macy Shopping Accounts or C-T Plans
- Your patients may have their prescriptions delivered anywhere free of extra charge.



Macy's Herald Square, LA 4-6000 Macy's Parkchester, TA 8-7000 Macy's Jamaica, JA 3-6000 Macy's Flatbush, UL 6-5000 Macy's Roosevelt Field, PI 6-8000 Macy's Huntington, AR 1-1000 Macy's White Plains, WH 6-5000 Macy's Bay Shore, MO 5-8400



Some allergic patients need more relief than a single antihistamine can give

For more complete relief, consider the antiallergic formula that includes a vasoconstrictor in addition to two antihistamines. The vasoconstrictor ingredient in Copyronil acts to relieve swelling and to control edema, which are common symptoms of nasal allergies, urticaria, and minor drug reactions. Co-Pyronil also quickly provides more complete relief when nasopharyngeal swelling is responsible for secondary symptoms of earache or sinus headache.

Co-Pyronil®
Pyrrobutamine Compound

Side-Effects: Drowsiness is sometimes reported at the beginning of treatment but is usually transient. In rare instances, symptoms of sympathetic overstimulation may be noted from the vaso-constrictor ingredient in Co-Pyronil.

Precautions and Contraindications: Sensitivity to antihistamines has occurred but is rare. Co-Pyronil should be used with caution in the presence of hypertension, cardiovascular-renal disease, and hyperthyroidism. As with any preparation containing antihistamines and sympathomimetics, overdosage may produce excessive central-nervous-system depression or stimulation.

Each Pulvule® contains Pyronil® (pyrrobutamine, Lilly), 15 mg./ Histadyl® (methapyrilene hydrochloride, Lilly), 25 mg./Clopane® Hydrochloride (cyclopentamine hydrochloride, Lilly), 12.5 mg.



Additional information available upon request. Eli Lilly and Company, Indianapolis 6, Indiana.

The One Tranquilizer that Belongs in Every Practice

Miltown[®] (meprobamate)

- Relieves anxiety and tension without significant effect on alertness and reflexes—especially valuable in the working patient.
- Established and accepted—more than ten years' use, more than 1500 published papers confirm its value.
- Broad therapeutic range—may be used whenever anxiety and tension are present, with or without organic disease, in any age group from pediatric to geriatric.
- Relaxes both *physical* and *emotional* tension, thus helping to establish normal sleep patterns.
- Proven safety/efficacy ratio—low toxicity, minimal side effects, useful in long-term therapy.

Side effects: Slight drowsiness may occur and, rarely, allergic or idiosyncratic reactions, generally developing after 1 to 4 doses of the drug.

Contraindications: Previous allergic or idiosyncratic reactions to meprobamate contraindicate subsequent use.

Precautions: Should administration of meprobamate cause drowsiness or visual disturbances, the dose should be reduced. Operation of motor vehicles or machinery or other activity requiring alertness should be avoided if these symptoms are present. Effects of excessive alcohol may possibly be increased by meprobamate. Prescribe cautiously and in small quantities to patients with suicidal tendencies. Massive overdosage may produce lethargy, stupor, ataxia, coma, shock, vasomotor and respiratory collapse. Consider possibility of dependence, particularly in patients with history of drug or alcohol addiction; withdraw gradually after prolonged use at high dosage. Complete product information available in the product package, and to physicians on request.

Usual adult dosage: 1 or 2 400 mg. tablets t.i.d. Supplied: 400 mg. scored tablets, 200 mg. coated tablets.



... practical
for control
of anxiety
and tension



'PERAZIL' CHLORCYCLIZINE HYDROCHLORIDE

USES: Relieves the symptoms of sneezing, "incessant" itching, inflamed eyes, rhinorrhea, itching eyes, nose and throat, associated with:

Hay Fever • Pollenosis • Pruritus • Urticaria • Vasomotor Rhinitis • Allergic Dermatitis • Drug Sensitivity

ADVANTAGES: Both prompt and prolonged in effect, providing symptomatic relief lasting 12 to 24 hours from a single dose.

PRECAUTION: When drowsiness does occur, it is generally mild and the usual precautions should be observed. No toxic effects related to either the blood-forming organs or the cardiovascular system are produced.

DOSAGE: Adults and children over 8 years, 50 mg. once or twice daily as required. The dose may be increased in severe cases.

Children from 2 to 8 years, 25 mg. (one sugar-coated tablet) once daily.

Infants up to 2 years, $12\frac{1}{2}$ mg. (one quarter of a 50 mg. tablet) crushed and mixed with a spoonful of jam or syrup.

SUPPLIED: Tablets of 25 mg., sugarcoated, bottles of 100 and 1000; Tablets of 50 mg., scored, bottles of 100 and 1000. Complete literature available on request from Professional Services Dept. PML.



BURROUGHS WELLCOME & CO. (U. S. A.) INC., Tuckahoe, New York



in acute nausea and vomiting

Nausea and vomiting, whether induced by vertigo, dizziness or motion sickness, are effectively controlled by Dramamine (dimenhydrinate). Available in easy-to-take liquid form and the tablet form which is ideal for the traveler.


Precautions: Patients should be cautioned against operating automobiles or dangerous machinery because of possible drowsiness. Dimenhydrinate, notably nontoxic itself, may mask the symptoms of streptomycin toxicity.

Dramatic results with pramamine dimenhydrinate

classic antinauseant

Research in the Service of Medicine

SEARLE



Cancer: Diagnosis, Treatment, Research

Available 1964

Volumes 1-10.	New York	1948-1957
(Including color plates)		
Cloth bound set		\$400.00
Paper bound set		375.00
Single volumes, par	er bound	37.50

Psychological Abstracts

Now Available

Volumes 1-20.	Lancaster	1927-1946
Cloth bound set		\$585.00
Paper bound set		550.00
Single volumes, pap	er bound	27.50



JOHNSON REPRINT CORPORATION

111 Fifth Avenue, New York, N. Y. 10003

JOHNSON REPRINT COMPANY LTD.

Berkeley Square House, London W.1, England